

CDX4952

ViewSonic® 

Custom Series: High-impact Messaging

49" Display, 1920 x 1080 Resolution, 450 cd/m2 Brightness



Key Features:

- **Ultra-narrow Bezel**
- **10x10 Tiling Support with DisplayPort or DVI**
- **Control Multiple Devices**
- **Free Bundled vController Software**

With stunning brightness, vibrant images, and multi-screen tiling, the ViewSonic® CDX4952 49" (48.5" viewable) commercial display is your ideal tool for creating video walls that wow! With up to 10x10 tiling installation, and an ultra-narrow bezel that measures only 3.5mm between combined displays, the CDX4952 delivers nearly seamless, high-impact messaging that helps you to astonish, inspire, and inform. Featuring full metal construction and a scratch-resistant tempered glass screen, this durable commercial-grade display delivers reliable messaging 24 hours a day, 7 days a week. With Full HD 1080p resolution, 450-nit brightness, SuperClear®

technology for wide viewing angles, and dual 10W stereo speakers, the CDX492 delivers sharp, vivid images with incredible sound for superior multimedia performance.

Full Specifications

Embedded Player

CPU: USB Supported internal media player

Display

Static Contrast Ratio: 1300:1
Viewing Angles: 178° horizontal, 178° vertical
Resolution: 1920 x 1080
Backlight Life (Hours): 50,000
Response Time (GTG): 12ms
Light Source: DLED
Brightness: 450 cd/m2
Panel Surface: 3H Anti-glare, hard-coating
Aspect Ratio: 16:9
Display Size (in.): 49

Audio

Internal Speakers: 10W (x2)

Connector

HDMI 1.4(2), DVI-D(1), VGA(1), Display Port(1), Composite RCA(1), RCA Audio In(1), RCA Audio Out(1), RS232 In(1), RS232 Out(1), Ethernet LAN (RJ45)(1)

Power

Voltage: 100-240 VAC
Consumption (max): 235W
Consumption (typical): 110W
Stand-by: <.5W

Controls Embedded Player

Interface: OSD / Remote Control

Weight (metric)

Net (kg): 23.9
Net Without Stand (kg): 21.6
Gross (kg): 34.3

Weight (imperial)

Net (lbs): 52.6
Net Without Stand (lbs): 47.6
Gross (lbs): 75.6

Dimensions (metric) (WxHxD)

Packaging (mm): 1367 x 897 x 366
Physical (mm): 1077 x 608 x 93.5

Dimensions (imperial) (WxHxD)

Packaging (in.): 53.8 x 35.3 x 14.4
Physical (in.): 42.3 x 23.9 x 3.7

Mount

VESA Compatible: 400 x 400 mm

General

Warranty: Three-year limited warranty on parts, labor and backlight

Recycle/Disposal: Please dispose of in accordance with local, state or federal laws.

Regulations: UL/cUL, FCC, Energy Star 7.0, UL-MX-CoC, Mexico Energy

UPC: 766907878417

Accessories

WMK-014, sw-014, sw-015

Copyright © ViewSonic Corporation 2000-2016. All rights reserved. (10/19/2016 03:54 PM PST)