

F610

Build No. 20190312

PROFILE

Powered by Intel CPU, Centerm F610 is designed to support CPU-intensive and graphic demanding applications delivering smooth and outstanding performance in the standalone and virtual desktop environment.


FEATURES

- **Powerful SoC performance**
New generation Intel CPU drives up to superior digital media performance and rich HD entertainment.
- **Low TCO Solution**
Low price, low power consumption and centralized management greatly reduces TCO.
- **Dual display supported**
- **Multiple VDI protocol supported**
Widely supports Citrix ICA/HDX, VMware PCoIP and Microsoft RDP.
- **Environment friendly**
Low CO2 emission, low heat emission, noise-free and space saving.



Connectivity

1. Power Button
2. Mic-in
3. Line-out
4. DVI-I Port




Front Side

1. DC 12v input
2. USB 2.0 Port
3. RJ-45
4. DVI-I Port
5. DP Port
6. USB 2.0 Ports



Rear Side (without wifi)

1. DC 12v input
2. Wi-Fi Antenna
3. RJ-45
4. DVI-I Port
5. DP Port
6. USB 2.0 Ports



Rear Side (with wifi)

SPECIFICATION

Standard Configuration

SYSTEM	
Processor	Intel quad-Core 2.0GHz
Available Operating System	WES7 / WIN 10 IOT / TOS ①
VDI/HSD Support	Citrix Receiver / VMware view / Microsoft RDP 8 Compatible
Management	CDMS
MEMORY	
RAM (DDR3L)	2GB
Storage (SSD)	8GB
DISPLAY	
Port	DVI-I x 1 (DVI-to-VGA adapter included) , DP x 1
Resolution	1920x1200 (DVI) / 2560x1600 (DP)
Color Depth	32 bits
Dual Display	Supported
NETWORK	
LAN	x 1 (10/100/1000 Base-T Fast Ethernet, RJ-45)
I/O PERIPHERAL INTERFACE	
USB 2.0	Rear: x 5
USB 3.0	Front: x 1
AUDIO	
Ports	Front: Line-out x 1 , Mic-in x 1, (1/8-inch mini jack)
DIMENSION	
Device (H x W x D)	131mm x 31.5mm x 167mm
Packaging	488mm x 256mm x 108mm
Net Weight	0.55 kg
POWER	
Adapter	Worldwide auto-sensing 100-240V AC, 50/60 Hz, 12V/3A DC.
Power Consumption	< 10w
Mounting	
Stand	Vertical feet standard
Kensington Lock	Built-in Kensington security slot
ENVIRONMENT	
Cooling	Fan-less Convection
Operation Temperature	0°C to 40°C
Relative Humidity	30% to 90% non-condensing

①: Terminal Operating System (Linux).

SPECIFICATION

Optional Configuration

Processor	Intel Dual core 2.41 GHz
Memory	Up to 8GB
Storage	SSD: up to 128GB
Network	1 x Mini-PCIE wireless module
USB 2.0	Rear: x 4
Mounting	VESA mounting kit